



Applications

- Ideal for rubber or thermoplastic hoses
- To be used with hose barb fittings

Features

- Ensures completely leakproof connections
- Narrow, compact and easy to install in hard to reach areas
- Plated steel or stainless steel screw
- Excellent resistance to corrosion



5/16" BAND WIDTH

Part No. Zinc Plated Steel Screw	Part No. Stainless Steel Screw	Minimum Size Dia (in.)	Nominal Size Dia (in.)	Maximum Size Dia (in.)
39.1104	39.1304	5/16	1/4	5/8
39.1106	39.1306	7/16	3/8	7/8

1/2" BAND WIDTH

Part No. Zinc Plated Steel Screw	Part No. Stainless Steel Screw	Minimum Size Dia (in.)	Nominal Size Dia (in.)	Maximum Size Dia (in.)
39.1206	39.1406	3/8	7/16	7/8
39.1208	39.1408	7/16	1/2	1
39.1210	39.1410	9/16	5/8	1 1/16
39.1212	39.1412	9/16	3/4	1 1/4
39.1216	39.1416	11/16	1	1 1/2
39.1220	39.1420	3/4	1 1/4	1 3/4
39.1224	39.1424	1 1/16	1 1/2	2
39.1228	39.1428	1 5/16	1 3/4	2 1/4
39.1232	39.1432	1 9/16	2	2 1/2
39.1236	39.1436	1 13/16	2 1/4	2 3/4
39.1240	39.1440	2 1/16	2 1/2	3
39.1242	39.1442	2-5/16	2-3/4	3-1/4
39.1244	39.1444	2-9/16	3	3-1/2
39.1246	39.1446	2-13/16	3-1/4	3-3/4
39.1248	39.1448	3-1/16	3-1/2	4
39.1250	39.1450	3-5/16	3-3/4	4-1/4
39.1252	39.1452	2-1/2	3-1/2	4-1/2
39.1254	39.1454	3	4	5
39.1256	39.1456	3-1/2	4-1/2	5-1/2
39.1258	39.1458	3-3/4	4-3/4	5-3/4
39.1260	39.1460	4	5	6
39.1262	39.1462	4-1/2	6	6-1/2
39.1264	39.1464	5	6-1/2	7
39.1266	39.1466	5-3/4	7	7-3/4
39.1268	39.1468	6-1/2	8	8-1/2
39.1270	39.1470	2	6	10
39.1272	39.1472	1-3/4	6-1/4	10-3/4
39.1274	39.1474	2-1/16	7-3/16	12-1/4
39.1276	39.1476	11	12-1/2	13
39.1278	39.1478	11-3/4	13-1/4	13-3/4
39.1280	39.1480	12-1/2	14	14-1/2
39.1282	39.1482	13-1/4	14-3/4	15-1/4

**For any questions or information about
 compressed air you may contact us at
 Tel. : 1-888-730-0501 - Fax : 1-888-730-3522
 or visit our web site at www.airmax.ca**

2-EAR CLAMP

Part No.	Model	Closed Size po.	Nominal Size in.	Opened Size in.
39.2200	4.1	0.122	5/32	0.161
39.2201	4.55	0.138	11/64	0.177
39.2202	5	0.118	3/16	0.197
39.2204	7	0.197	1/4	0.276
39.2208	9	0.276	5/16	0.354
39.2211	11	0.315	3/8	0.433
39.2216	13	0.433	1/2	0.512
39.2219	15	0.512	9/16	0.591
39.2222	17	0.591	19/32	0.669
39.2224	18	0.591	5/8	0.708
39.2227	20	0.669	3/4	0.787
39.2229	22	0.748	13/16	0.866
39.2230	23	0.787	7/8	0.905
39.2232	25	0.866	15/16	0.984
39.2234	27	0.905	1	1.063
39.2235	28	0.984	1 1/16	1.102
39.2237	31	1.063	1 1/8	1.220
39.2241	34	1.220	1 5/16	1.339
39.2243	37	1.339	1 7/16	1.457
39.2245	40	1.457	1 1/2	1.575
39.2247	43	1.575	1 5/8	1.693
39.2249	46	1.693	1 3/4	1.811



Applications

- Ideal for natural or synthetic rubber and thermoplastic hoses with hose barb fittings
- For industrial hose maintenance and OEM applications on air, fluid, gas and steam lines
- Recommended for high vibration equipment and low pressure hydraulic applications

Features

- One-piece zinc plated steel design
- Assures adequate closure and compensates for tolerance variations in hose sizes
- Spring like action that does not damage hoses



CRIMPING PINCER

Applications

- For installation or removal of ear clamps

Part No. 39.2382



CLAMP ASSORTMENT KIT

Features

- Useful assortment of 80 ear clamps and crimping pincer in a durable plastic box
- Sizes from 5/16" to 1"

Part No. 39.2400

- Plastic Box

Part No. 39.2405



Applications

- For use with natural or synthetic rubber (Series 49) and thermoplastic (Series 50) hoses in conjunction with hose barb fittings
- For industrial repair of pneumatic hoses
- Recommended for high vibration equipment and low pressure hydraulic applications

Features

- Both the nut and bolt support are made of high grade steel and remain captive so they cannot be lost
- Steel band with bevelled edges to prevent damage to hoses
- Clamp design that permits great flexibility to ensure a perfect fit around the clamped surface
- Bridge that opens outward for ease of assembly or disassembly

HOSE CLAMP

Part No.	mm Minimum diameter	mm Maximum diameter	Hose Clamp mm
39.5110	17	19	18
39.5114	20	22	18
39.5116	23	25	18
39.5118	26	28	18
39.5120	29	31	20
39.5124	32	35	20
39.5128	36	39	20
39.5130	40	43	20
39.5132	44	47	22
39.5134	48	51	22
39.5136	52	55	22
39.5138	56	59	22
39.5142	64	67	22
39.5146	74	79	24
39.5150	86	91	24
39.5152	92	97	24
39.5154	98	103	24
39.5156	109	112	24
39.5158	113	121	24
39.5160	122	130	24
39.5162	131	139	26
39.5164	140	148	26
39.5166	149	161	26
39.5168	162	174	26
39.5170	175	187	26
39.5172	188	200	26
39.5174	201	213	26
39.5176	214	226	26
39.5178	227	239	26
39.5180	240	252	26

**For any questions
 or information about
 compressed air
 you may contact us at
 Tel. : 1-888-730-0501
 Fax : 1-888-730-3522
 or visit our web site at
www.airmax.ca**

**CENTER PUNCH CLAMP
(5/8" WIDE BAND)**

Part No.	I.D. in.	Units per package
39.6110	13/16 (3/8)	100
39.6114	1	100
39.6118	1-1/4	100
39.6122	1-3/8 (3/8)	100
39.6126	1-1/2	100
39.6130	1-3/4	100
39.6134	2	100
39.6138	2-1/4	100
39.6142	2-1/2	50
39.6146	2-3/4	50
39.6150	3	50
39.6154	3-1/2	50
39.6158	4	25
39.6162	4-1/2	25
39.6166	5	25
39.6170	6	25
39.6174	7	25
39.6178	8	25



Features

- For use with roll over tool described below

LOCKING TOOL



Part No. 39.6510

**For any questions
or information about
compressed air
you may contact us at
Tel. : 1-888-730-0501
Fax : 1-888-730-3522
or visit our web site at
www.airmax.ca**